Scanned by TapScanner

Sr. No.	Description of work	Unit	No.	L m	B m	D m	Quantity	Rate in Rs	Amount in Rs
	[illegible]		1.00	3.70	4.50		83.25		
	[illegible]		1.00	4.00	4.00		80.00		
	[illegible]		1.00	2.20	3.00		33.00		
	[illegible]		1.00	3.10	3.00		55.80		
			1.00	3.00	4.00		48.00		
	[illegible]		1.00	3.00	3.00		27.00		
			1.00	3.00	4.00		48.00		
	[illegible]		1.00	3.00	4.00		107.90		
			1.00	3.00	5.00		90.00		
			1.00	3.00	4.00		72.00		
			1.00	3.00	2.00		36

Sl. No	Description of work	Unit	No.	L m	B m	D m	Quantity	Rate in Rs.	Amount in Rs.
			1 00	21 00	5 50				
							40 25		
			1 00	17 00	3 60				
							112 50		
			1 00	18 00	5 90				
							77 76		
			1 00	16 20	4 80				
							77 76		
			1 00	18 00	4 20		75 60		
			1 00	19 50	4 10		27 62		
			1 00	8 00	3 20				
							129 50		
			1 00	35 00	3 70				
							37 10		
			1 00	26 00	1 40		26 00		
			1 00	8 00	3 10		81 20		
			1 00	20 00	2 80		37 50		
			1 00	13 50	2 80		28 00		
			1 00	8 00	3 30		25313 50		
							2 80		
		Ha			Total Quantity		1 56	86202 5	134357 09
	After deduction of 40%								
10	KSRRB M 300-53 Construction of embankment with approved materials (Gravel/Murrum with all lift and leads transportation to site Spreading, grading to required slope and compacting to meet requirement of Table 300-2 complete as per specifications Which includes cost of Gravel/Murrum , watering charges & compaction by vibratory roller to 95% of modified proctors density) MORTH Specification No 305 , Item No 19 60 Page No - 147								
	MIG B -02(1,2 AND 3)	sum							
			1 00	16 00	13 00	0 30	62 40		
			3 00	8 50	3 50	0 30	26 78		
			3 00	4 00	2 00	0 30	7 20		
			1 00	30 00	6 50	0 30	58 50		
			1 00	17 00	5 00	0 30	25 50		
			1 00	21 00	9 00	0 30	56 70		
			1 00	42 00	4 60	0 30	57 96		
	MIG B-05(4,5 AND 6)								
			1 00	17 00	15 00	0 30	76 50		
			3 00	8 50	3 50	0 30	26 78		
			2 00	5 50	2 00	0 30	6 60		
			1 00	4 00	2 00	0 30	2 40		
			1 00	17 00	5 20	0 30	26 52		
			1 00	17 00	5 10	0 30	26 01		
			1 00	20 00	8 40	0 30	50 40		
			1 00	11 00	5 00	0 30	16 50		
	MIG B -14(13,14AND 15)								
			1 00	17 00	13 00	0 30	66 30		
			3 00	9 00	3 50	0 30	28 35		
			3 00	4 00	2 00	0 30	7 20		
			1 00	17 00	5 00	0 30	25 50		

Scanned by TapScanner

Sl. No.	Description of work	Unit	No	L m	B m	D m	Quantity	Rate in Rs	Amount in Rs
			1.00	20.00	5.00	0.30	30.00		
			1.00	8.50	4.15	0.30	15.68		
			1.00	4.00	3.73	0.30	4.48		
	MIG B-23(22,23 & 24)								
			1.00	17.00	15.30	0.30	78.03		
			2.00	8.50	3.50	0.30	17.85		
			3.00	4.00	3.60	0.30	12.96		
	MIG B-28(27,28&29)								
			1.00	18.00	15.10	0.30	81.54		
			3.00	8.50	3.50	0.30	26.78		
			3.00	4.50	2.00	0.30	8.10		
			2.00	6.00	4.40	0.30	15.84		
			1.00	16.00	5.00	0.30	24.00		
			1.00	6.50	4.40	0.30	8.58		
			1.00	4.00	3.30	0.30	3.96		
			1.00	7.50	6.70	0.30	15.08		
			1.00	18.00	15.00	0.30	81.00		
			1.00	16.00	8.00	0.30	38.40		
	MIG B-17(16,17&18))								
			1.00	15.00	14.50	0.30	65.25		
			3.00	8.50	3.50	0.30	26.78		
			2.00	3.50	2.00	0.30	4.20		
			1.00	2.00	2.00	0.30	1.20		
	MIG B-08(7,8&9))								
			1.00	15.00	8.60	0.30	38.70		
			3.00	9.00	3.50	0.30	28.35		
			2.00	4.00	2.00	0.30	4.80		
			1.00	21.00	7.80	0.30	49.14		
			1.00	10.00	6.50	0.30	19.50		
			1.00	29.00	2.50	0.30	21.75		
			1.00	18.00	14.00	0.30	75.60		
	MIG B-10(10,11&12))								
			1.00	15.00	14.50	0.30	65.25		
			3.00	9.00	3.50	0.30	28.35		
			3.00	4.00	2.00	0.30	7.20		
	MIG B-20(19,20&21))								
			1.00	16.00	14.00	0.30	67.20		
			3.00	9.00	3.20	0.30	25.92		
			3.00	4.00	2.00	0.30	7.20		
	MIG B-30								
			1.00	17.00	16.00	0.30	81.60		
			2.00	9.00	3.70	0.30	19.98		
			1.00	4.00	2.00	0.30	2.40		
	MIG B-32(31,32&33)								
			1.00	16.00	15.00	0.30	72.00		
			3.00	9.00	3.70	0.30	29.97		
			3.00	4.00	2.00	0.30	7.20		
	MIG B-35								
			1.00	18.00	15.00	0.30	81.00		
			3.00	9.00	3.50	0.30	28.35		

Scanned by TapScanner

Sl. No.	Description of work	Unit	No.	L	B	D	Quantity	Rate in Rs.	Amount in Rs.
				m	m	m			
			3	4.00	2.00	0.30	7.20		
	MIG B 3/135 366 1/1								
			1	19.00	11.70	0.30	66.69		
			1	9.00	2.50	0.30	6.75		
			1	5.00	2.00	0.30	3.00		
	MIG A 11(3) 116 1/1								
			1	13.00	8.70	0.30	33.93		
			3	8.00	2.00	0.30	14.40		
			1	1.50	1.00	0.30	2.10		
			1	5.00	2.00	0.30	4.50		
			1	10.00	3.00	0.30	27.00		
	MIG B 68/39								
			1	3.00	4.00	0.30	36.00		
			1	10.00	4.00	0.30	12.00		
	MIG 3								
			1	13.00	7.00	0.30	67.20		
			1	11.00	7.50	0.30	51.75		
	MIG B 23(12,23 & 24								
			1	17.00	10.50	0.30	116.55		
			1	4.00	3.70	0.30	8.84		
			1	11.00	4.00	0.30	33.00		
			1	9.00	3.50	0.30	34.00		
			1	8.00	4.00	0.30	37.80		
			1	14.00	3.50	0.30	30.45		
	SMG 53								
			1	11.00	6.70	0.30	41.19		
			1	9.00	5.00	0.30	68.70		
			1	7.00	5.00	0.30	8.10		
	SMG 33,33,34								
			1	12.00	4.00	0.30	19.44		
	MIG A 16(15,16B) 1/1								
			2	7.00	1.50	0.30	27.00		
			1	9.00	1.50	0.30	28.50		
			1	3.00	4.00	0.30	14.40		
			1	7.00	1.00	0.30	5.88		
			1	5.00	1.00	0.30	4.50		
	MIG A 1								
			1	13.00	7.00	0.30	39.90		
			1	4.00	3.00	0.30	9.72		
			1	7.00	1.50	0.30	9.45		
			1	7.00	2.00	0.30	8.40		
	MIG A 19								
			1	13.00	8.00	0.30	41.76		
			1	9.00	5.00	0.30	67.95		
	SMG 0 1								
			1	20.00	7.40	0.30	64.40		
			1	20.00	5.00	0.30	43.50		
			1	5.00	1.70	0.30	2.55		
			1	10.00	3.50	0.30	11.03		
			1	3.00	2.00	0.30	4.32		

Scanned by TapScanner

Sl. No.	Description of work	Unit	No	L m	B m	D m	Quantity	Rate in Rs	Amount in Rs
	HIG D 2								
			1 00	29 00	4 60	0 30	40 02		
			1 00	24 00	5 90	0 30	42 48		
			1 00	5 00	8 10	0 30	12 15		
			1 00	9 00	6 90	0 30	18 63		
			1 00	10 00	3 70	0 30	11 10		
	HIG D 3								
			1 00	18 00	7 50	0 30	40 50		
			1 00	10 00	3 60	0 30	10 80		
			1 00	21 00	4 70	0 30	29 61		
			1 00	5 00	2 00	0 30	3 00		
	HIG D 4								
			1 00	23 00	4 71	0 30	32 50		
			1 00	5 00	1 70	0 30	2 55		
	HIG D 5								
			1 00	27 00	4 52	0 30	36 61		
			1 00	24 00	3 51	0 30	25 27		
			2 00	4 60	2 10	0 30	6 05		
	HIG C 9								
			1 00	35 00	6 90	0 30	72 45		
			1 00	25 00	8 51	0 30	63 83		
			1 00	12 00	3 70	0 30	13 32		
			1 00	4 00	3 21	0 30	3 85		
			1 00	21 00	5 31	0 30	33 45		
	HIG C-8								
			1 00	25 00	6 70	0 30	50 25		
	HIG C-7								
			1 00	30 60	6 41	0 30	58 84		
			1 00	7 50	6 00	0 30	13 50		
	HIG D-6								
			1 00	18 00	6 00	0 30	32 40		
	HIG D-7								
			1 00	23 00	5 31	0 30	36 64		
			2 00	5 00	2 00	0 30	6 00		
			1 00	25 00	3 30	0 30	24 75		
			1 00	22 00	4 00	0 30	26 40		
			1 00	26 50	4 60	0 30	36 57		
			1 00	27 00	5 10	0 30	41 31		
	HIG D-8								
			1 00	23 00	5 10	0 30	35 19		
			1 00	25 00	9 42	0 30	70 65		
			1 00	26 00	8 00	0 30	62 40		
			1 00	18 50	4 20	0 30	23 31		
			1 00	20 00	3 30	0 30	19 80		
			1 00	20 00	2 70	0 30	16 20		
	HIG D 9								
			1 00	14 50	7 70	0 30	33 50		
			2 00	5 00	2 10	0 30	6 30		
			1 00	30 00	4 70	0 30	42 30		

Scanned by TapScanner

Sl. No	Description of work	Unit	No	L	B	D	Quantity	Rate in Rs	Amount in Rs
				m	m	m			
	HIG D-10								
			1.00	30.00	4.50	0.30	40.50		
			1.00	5.00	2.00	0.30	3.00		
			1.00	14.50	6.50	0.30	28.28		
	Mathru blind school								
			1.00	20.00	16.50	0.30	99.00		
			1.00	7.00	4.00	0.30	8.40		
	MIG A-02								
			1.00	11.40	12.70	0.30	43.43		
			3.00	7.50	2.10	0.30	14.18		
			1.00	2.50	1.60	0.30	1.20		
	MIG B-11								
			1.00	5.70	6.10	0.30	10.43		
			3.00	7.60	2.80	0.30	19.15		
			1.00	16.00	3.50	0.30	16.80		
			1.00	27.50	7.50	0.30	61.88		
			1.00	19.60	2.70	0.30	15.88		
			2.00	9.00	3.30	0.30	17.82		
			2.00	25.00	4.20	0.30	63.00		
			1.00	20.00	4.90	0.30	29.40		
	MIG B -02(1,2 AND 3)Opposite blocks								
			1.00	25.00	6.00	0.30	45.00		
			1.00	22.00	4.00	0.30	26.40		
			1.00	15.00	5.00	0.30	22.50		
			1.00	30.00	6.50	0.30	58.50		
			1.00	20.00	5.00	0.30	30.00		
			1.00	21.00	9.00	0.30	56.70		
			1.00	42.00	4.60	0.30	57.96		
			1.00	27.00	4.90	0.30	39.69		
	MIG A -09(Opposite area)								
			1.00	40.00	15.00	0.30	180.00		
			1.00	35.00	9.00	0.30	94.50		
			1.00	35.00	12.00	0.30	126.00		
			2.00	25.00	10.00	0.30	150.00		
			1.00	30.00	6.50	0.30	58.50		
			2.00	25.00	8.30	0.30	124.50		
	sarrounding area								
			2.00	25.00	13.00	0.30	195.00		
			1.00	9.00	4.00	0.30	10.80		
			1.00	16.00	5.00	0.30	24.00		
			2.00	25.00	5.00	0.30	75.00		
			2.00	20.00	5.00	0.30	60.00		
			2.00	36.00	6.50	0.30	140.40		
			2.00	39.00	7.00	0.30	163.80		
				Total Quantity			6460.359	361.69	2336647.355

Scanned by TapScanner

Sl. No.	Description of work	Unit	No.	L	B	D	Quantity	Rate in Rs.	Amount in Rs.
				m	m	m			
11	KSRR8 M600.3 Providing and Constructing dry lean concrete mix CC 1:4:8 base with OPC @ 180kgs ,26mm and down size graded granite metal coarse aggregate at 0.85 cum and fine aggregates @0.57 cum over a prepared sub-base ,coarse and fine aggregate confirming to IS 383-2016 aggregate cement ratio not to exceed 15:1,Aggregate content to be be less than 10Mpa at 7 days , mixed in a batching plant,transported to site ,laid with a paver,compacting with 8-10 tonnes vibratory rolle,finishing and curing complete as per specifications Clause 601 of MORTH V Revision and IS 456 Table -5, Item No -22.3,Page No -175								
	MIG B -02(1,2 AND 3)	cum							
			1.00	16.00	13.00	0.15	31.20		
			3.00	6.50	3.50	0.15	13.39		
			3.00	4.00	2.00	0.15	3.60		
			1.00	30.00	6.50	0.15	29.25		
			1.00	17.00	5.00	0.15	12.75		
			1.00	21.00	9.00	0.15	28.35		
			1.00	42.00	4.60	0.15	28.98		
	MIG B-05(4,5 AND 6)								
			1.00	17.00	15.00	0.15	38.25		
			3.00	8.50	3.50	0.15	13.39		
			2.00	5.50	2.00	0.15	3.30		
			1.00	4.00	2.00	0.15	1.20		
			1.00	17.00	5.20	0.15	13.26		
			1.00	17.00	5.10	0.15	13.01		
			1.00	20.00	8.40	0.15	25.20		
			1.00	11.00	5.00	0.15	8.25		
	MIG B -14(13,14AND 15)								
			1.00	17.00	13.00	0.15	33.15		
			3.00	9.00	3.50	0.15	14.18		
			3.00	4.00	2.00	0.15	3.60		
			1.00	17.00	5.00	0.15	12.75		
			1.00	20.00	5.00	0.15	15.00		
			1.00	8.50	6.15	0.15	7.84		
			1.00	4.00	3.73	0.15	2.24		
	MIG B-23(22,23 & 24)								
			1.00	17.00	15.30	0.15	39.02		
			2.00	8.50	3.50	0.15	8.93		
			3.00	4.00	3.60	0.15	6.48		
	MIG B-28(27,28&29)								
			1.00	18.00	15.10	0.15	40.77		
			3.00	8.50	3.50	0.15	13.39		
			3.00	4.50	2.00	0.15	4.05		
			2.00	6.00	4.40	0.15	7.92		
			1.00	16.00	6.00	0.15	12.00		
			1.00	6.50	4.40	0.15	4.29		
			1.00	4.00	3.30	0.15	1.98		
			1.00	7.50	6.70	0.15	7.54		
			1.00	18.00	15.00	0.15	40.50		
			1.00	16.00	8.00	0.15	19.20		
	MIG B-17(16,17&18))								
			1.00	15.00	14.50	0.15	32.63		
			3.00	8.50	3.50	0.15	13.39		
			2.00	3.50	2.00	0.15	2.10		

Scanned by TapScanner

Sl. No.	Description of work	Unit	No.	L	B	D	Quantity	Rate in Rs.	Amount in Rs.
				m	m	m			
			1.00	2.00	2.00	0.15	0.60		
	MIG B-08(7,8&9))								
			1.00	15.00	8.80	0.15	19.35		
			3.00	9.00	3.50	0.15	14.18		
			2.00	4.00	2.00	0.15	2.40		
			1.00	21.00	7.80	0.15	24.57		
			1.00	10.00	6.50	0.15	9.75		
			1.00	29.00	2.50	0.15	10.88		
			1.00	18.00	14.00	0.15	37.80		
	MIG B-10(10,11&12))								
			1.00	15.00	14.50	0.15	32.63		
			3.00	9.00	3.50	0.15	14.18		
			3.00	4.00	2.00	0.15	3.60		
	MIG B-20(19,20&21))								
			1.00	16.00	14.00	0.15	33.60		
			3.00	9.00	3.20	0.15	12.96		
			3.00	4.00	2.00	0.15	3.60		
	MIG B-30								
			1.00	17.00	16.00	0.15	40.80		
			2.00	9.00	3.70	0.15	9.99		
			1.00	4.00	2.00	0.15	1.20		
	MIG B-32(31,32&33)								
			1.00	16.00	15.00	0.15	36.00		
			3.00	9.00	3.70	0.15	14.99		
			3.00	4.00	2.00	0.15	3.60		
	MIG B-35								
			1.00	18.00	15.00	0.15	40.50		
			3.00	9.00	3.50	0.15	14.18		
			3.00	4.00	2.00	0.15	3.60		
	MIG B-37(35,36&37)								
			1.00	19.00	11.70	0.15	33.35		
			1.00	9.00	2.50	0.15	3.38		
			1.00	5.00	2.00	0.15	1.50		
	MIG A-11(10,11&12)								
			1.00	13.00	8.70	0.15	16.97		
			3.00	8.00	2.00	0.15	7.20		
			1.00	3.50	2.00	0.15	1.05		
			1.00	8.00	2.00	0.15	2.40		
	HIG B-08&09		1.00	18.00	5.00	0.15	13.50		
			1.00	30.00	4.00	0.15	18.00		
			1.00	10.00	4.00	0.15	6.00		
	HIGC-1								
			1.00	32.00	7.00	0.15	33.60		
			1.00	23.00	7.50	0.15	25.88		
	MIG B-23(22,23 & 24)								
			1.00	21.00	18.50	0.15	58.28		
			1.00	4.00	5.70	0.15	3.42		
			1.00	22.00	5.00	0.15	16.50		
			1.00	16.00	5.00	0.15	12.00		

Scanned by TapScanner

Sl. No.	Description of work	Unit	No	L	B	D	Quantity	Rate in Rs.	Amount in Rs.
				m	m	m			
			1.00	25.00	6.00	0.15	18.75		
			1.00	26.00	3.90	0.15	15.21		
	S LIG -53								
			1.00	23.00	6.20	0.15	21.39		
			1.00	30.00	10.30	0.15	46.35		
			1.00	2.00	10.30	0.15	3.09		
	S-LIG -22,23,24								
			1.00	52.00	4.90	0.15	38.22		
	MIG A-16(15,16&17)								
			1.00	12.00	7.70	0.15	13.86		
			1.00	19.00	5.00	0.15	14.25		
			1.00	12.00	4.20	0.15	7.56		
			1.00	7.00	2.80	0.15	2.94		
			1.00	9.00	3.00	0.15	4.05		
	MIG A-1								
			1.00	19.00	7.00	0.15	19.95		
			1.00	8.00	2.80	0.15	3.36		
			1.00	5.00	3.50	0.15	2.63		
			1.00	7.00	3.00	0.15	3.15		
	MIG A-19								
			1.00	23.00	6.20	0.15	21.39		
			1.00	29.00	5.50	0.15	23.93		
	HIG D-1								
			1.00	20.00	7.40	0.15	22.20		
			1.00	29.00	5.00	0.15	21.75		
			1.00	5.00	1.70	0.15	1.28		
			1.00	10.50	3.50	0.15	5.51		
			2.00	3.20	2.20	0.15	2.11		
	HIG D-2								
			1.00	29.00	4.60	0.15	20.01		
			1.00	24.00	5.90	0.15	21.24		
			1.00	5.00	8.10	0.15	6.08		
			1.00	9.00	6.90	0.15	9.32		
			1.00	10.00	3.70	0.15	5.55		
	HIG D-3								
			1.00	18.00	7.50	0.15	20.25		
			1.00	10.00	3.60	0.15	5.40		
			1.00	21.00	4.70	0.15	14.81		
			1.00	5.00	2.00	0.15	1.50		
	HIG D-4								
			1.00	23.00	4.71	0.15	16.25		
			1.00	5.00	1.70	0.15	1.28		
	HIG D-5								
			1.00	27.00	4.52	0.15	18.31		
			1.00	24.00	3.51	0.15	12.64		
			2.00	4.80	2.10	0.15	3.02		
	HIG C-9								
			1.00	35.00	6.90	0.15	36.23		
			1.00	25.00	8.51	0.15	31.91		
			1.00	12.00	3.70	0.15	6.66		

Scanned by TapScanner

Sl. No	Description of work	Unit	No.	L m	B m	D m	Quantity	Rate in Rs	Amount in Rs
			1.00	4.00	3.21	0.15	1.93		
			1.00	21.00	5.31	0.15	16.73		
	HIG C-8								
			1.00	25.00	6.70	0.15	25.13		
	HIG C-7								
			1.00	30.00	8.41	0.15	29.42		
			1.00	7.50	6.00	0.15	6.75		
	HIG D-6								
			1.00	18.00	6.00	0.15	16.20		
	HIG D-7								
			1.00	23.00	5.31	0.15	18.32		
			2.00	5.00	2.00	0.15	3.00		
			1.00	25.00	3.30	0.15	12.38		
			1.00	22.00	4.00	0.15	13.20		
			1.00	26.50	4.60	0.15	18.29		
			1.00	27.00	5.10	0.15	20.66		
	HIG D-8								
			1.00	23.00	5.10	0.15	17.60		
			1.00	25.00	9.42	0.15	35.33		
			1.00	26.00	8.00	0.15	31.20		
			1.00	18.50	4.20	0.15	11.66		
			1.00	20.00	3.30	0.15	9.90		
			1.00	20.00	2.70	0.15	8.10		
	HIG D-9								
			1.00	14.50	7.70	0.15	16.75		
			2.00	5.00	2.10	0.15	3.15		
			1.00	30.00	4.70	0.15	21.15		
	HIG D-10								
			1.00	30.00	4.50	0.15	20.25		
			1.00	5.00	2.00	0.15	1.50		
			1.00	14.50	6.50	0.15	14.14		

Scanned by TapScanner

Sl. No	Description of work	Unit	No.	L m	B m	D m	Quantity	Rate in Rs.	Amount in Rs.
	Mathiru blind school								
			1.00	20.00	16.80	0.15	48.60		
			1.00	7.00	4.00	0.15	4.20		
	MIG A-02								
			1.00	11.40	12.70	0.15	21.72		
			3.00	7.50	2.10	0.15	7.09		
			1.00	2.50	1.60	0.15	0.60		
	MIG B 11								
			1.00	5.70	6.10	0.15	5.22		
			3.00	7.60	2.80	0.15	9.58		
			1.00	16.00	3.50	0.15	8.40		
			1.00	27.50	7.50	0.15	30.94		
			1.00	19.60	2.70	0.15	7.94		
			2.00	9.00	3.30	0.15	8.91		
			2.00	25.00	4.20	0.15	31.50		
			1.00	20.00	4.90	0.15	14.70		
	MIG B -02(1,2 AND 3)Opposite blocks								
			1.00	25.00	6.00	0.15	22.50		
			1.00	22.00	4.00	0.15	13.20		
			1.00	15.00	5.00	0.15	11.25		
			1.00	30.00	6.50	0.15	29.25		
			1.00	20.00	5.00	0.15	15.00		
			1.00	21.00	9.00	0.15	28.35		
			1.00	42.00	4.60	0.15	28.98		
			1.00	27.00	4.90	0.15	19.85		
	MIG A -09(Opposite area)								
			1.00	40.00	15.00	0.15	90.00		
			1.00	35.00	9.00	0.15	47.25		
			1.00	35.00	12.00	0.15	63.00		
			2.00	25.00	10.00	0.15	75.00		
			1.00	30.00	6.50	0.15	29.25		
			2.00	25.00	8.30	0.15	62.25		
	sarrounding area								
			2.00	25.00	13.00	0.15	97.50		
			1.00	9.00	4.00	0.15	5.40		
			1.00	16.00	5.00	0.15	12.00		
			2.00	25.00	5.00	0.15	37.50		
			2.00	20.00	5.00	0.15	30.00		
			2.00	36.00	6.50	0.15	70.20		
			2.00	39.00	7.00	0.15	81.90		
				Total Quantity			3230.18	3786.07	12229686.27
12	KSRB 14.6 Providing and laying heavy duty cobble stones interlock pavers using cement and course sand for manufacture of blocks of approved size , shape and colour with a minimum compressive strength of 261 kg per sqm over 50mm thick sand bed (average thickness) and compacting with plate vibrator having 3 tons compaction force thereby forcing part of sand underneath to come up in between joints final compaction of paver surface joints into its final levevl including cost of materials labour and HOM complete as per specifications. Specification No. KBS .14 7 KSRB 14 6-2 heavy duty cobble stones 75 mm thick Sqm Rs 1,110.00 Pg No. -103								

Scanned by TapScanner

Sl. No.	Description of work	Unit	No.	L m	B m	D m	Quantity	Rate in Rs.	Amount in Rs.
	MIG B 01(1,2 AND 3)	each							
			1 (a)	10 (a)	13 (a)		260 (a)		
			3 (a)	8 (a)	3 (a)		89.25		
			3 (a)	4 (a)	2 (a)		24 (a)		
			1 (a)	3) (a)	5 (a)		195 (a)		
			1 (a)	17 (a)	5 (a)		85 (a)		
			1 (a)	21 (a)	9 (a)		189 (a)		
			1 (a)	42 (a)	4 (a)		193.20		
	MIG B 05(4,5 AND 6)								
			1 (a)	17 (a)	15 (a)		255 (a)		
			3 (a)	8 (a)	3.50		89.25		
			2 (a)	5.50	2 (a)		22 (a)		
			1.00	4.00	2.00		8.00		
			1.00	17.00	5.20		88.40		
			1.00	17.00	5.10		86.70		
			1.00	20.00	8.40		168.00		
			1.00	11.00	5.00		55.00		
	MIG B 14(13,14AND 15)								
			1.00	17.00	13.00		221.00		
			3.00	9.00	3.50		94.50		
			3.00	4.00	2.00		24.00		
			1.00	17.00	5.00		85.00		
			1.00	20.00	5.00		100.00		
			1.00	8.50	6.15		52.28		
			1.00	4.00	3.73		14.92		
	MIG B-23(22,23 & 24)								
			1.00	17.00	15.30		260.10		
			2.00	8.50	3.50		59.50		
			3.00	4.00	3.60		43.20		
	MIG B-28(27,28&29)								
			1.00	18.00	15.10		271.80		
			3.00	8.50	3.50		89.25		
			3.00	4.50	2.00		27.00		
			2.00	6.00	4.40		52.80		
			1.00	16.00	5.00		80.00		
			1.00	6.50	4.40		28.60		
			1.00	4.00	3.30		13.20		
			1.00	7.50	6.70		50.25		
			1.00	18.00	15.00		270.00		
			1.00	16.00	8.00		128.00		
	MIG B 17(16,17&18))								
			1.00	15.00	14.50		217.50		
			3.00	8.50	3.50		89.25		
			2.00	3.50	2.00		14.00		
			1.00	2.00	2.00		4.00		
	MIG B 08(7,8&9))								
			1.00	15.00	8.60		129.00		
			3.00	9.00	3.50		94.50		
			2.00	4.00	2.00		16.00		

Scanned by TapScanner

Sl. No.	Description of work	Unit	No.	L m	B m	D m	Quantity	Rate in Rs.	Amount in Rs.
	MIG B-34(31,32&33)								
	MIG B-35(33,36&37)								
	MIG B-37(35,36&37)								
	MIG A-11(10,11&12)								
	MIG B-08&09								
	MIG 1								
	MIG B-23(22,23 & 24)								
	S-(05-51								

Scanned by TapScanner

Sl. No.	Description of work	Unit	No.	L m	B m	D m	Quantity	Rate in Rs	Amount in Rs
			1.00	2.00	10.30		20.60		
	S.I.R. 22,23,24								
			1.00	52.00	4.20		218.40		
	MRS A-16,15,16&17								
			1.00	13.00	7.10		92.40		
			1.00	19.00	5.00		95.00		
			1.00	12.00	4.20		50.40		
			1.00	7.00	2.80		19.60		
			1.00	9.00	3.00		27.00		
	MIG A-1								
			1.00	19.00	7.00		133.00		
			1.00	8.00	2.80		22.40		
			1.00	5.00	3.50		17.50		
			1.00	7.00	3.00		21.00		
	MIG A-19								
			1.00	23.00	6.20		142.60		
			1.00	29.00	5.50		159.50		
	HIG D-1								
			1.00	20.00	7.40		148.00		
			1.00	29.00	5.00		145.00		
			1.00	5.00	1.70		8.50		
			1.00	10.50	3.50		36.75		
			2.00	3.20	2.20		14.08		
	HIG D-2								
			1.00	29.00	4.60		133.40		
			1.00	24.00	5.90		141.60		
			1.00	5.00	8.10		40.50		
			1.00	9.00	6.90		62.10		
			1.00	10.00	3.70		37.00		
	HIG D-3								
			1.00	18.00	7.50		135.00		
			1.00	10.00	3.60		36.00		
			1.00	21.00	4.70		98.70		
			1.00	5.00	2.00		10.00		
	HIG D-4								
			1.00	23.00	4.71		108.33		
			1.00	5.00	1.70		8.50		
	HIG D-5								
			1.00	27.00	4.52		122.04		
			1.00	24.00	3.51		84.24		
			2.00	4.80	2.10		20.16		
	HIG C-9								
			1.00	35.00	6.90		241.50		
			1.00	25.00	8.51		212.75		
			1.00	12.00	3.70		44.40		
			1.00	4.00	3.21		12.84		
			1.00	21.00	5.31		111.51		
	HIG C-8								
			1.00	25.00	6.70		167.50		

Scanned by TapScanner

Sl. No.	Description of work	Unit	No.	L m	B m	D m	Quantity	Rate in Rs.	Amount in Rs.
	HIG C 7								
			1 00	30 60	6 41		196 15		
			1 00	7 50	6 00		45 00		
	HIG D-6								
			1 00	18 00	6 00		108 00		
	HIG D-7								
			1 00	23 00	5 31		122 13		
			2 00	5 00	2 00		20 00		
			1 00	25 00	3 30		82 50		
			1 00	22 00	4 00		88 00		
			1 00	26 50	4 60		121 90		
			1 00	27 00	5 10		137 70		
	HIG D-8								
			1 00	23 00	5 10		117 30		
			1 00	25 00	9 42		235 50		
			1 00	26 00	8 00		208 00		
			1 00	18 50	4 20		77 70		
			1 00	20 00	3 90		86 00		
			1 00	20 00	2 70		54 00		
	HIG D-9								
			1 00	14 90	7 70		111 85		
			2 00	5 00	2 10		21 00		
			1 00	30 00	4 70		141 00		
	HIG D-10								
			1 00	30 00	4 50		135 00		
			1 00	5 00	2 00		10 00		
			1 00	14 50	6 50		94 25		
	Mathru blind school								
			1 00	20 00	16 50		330 00		
			1 00	7 00	4 00		28 00		
	MIG A-02								
			1 00	11 40	12 70		144 78		
			3 00	7 90	3 10		47 28		
			1 00	2 60	1 60		4 09		
	MIG B 11								
			1 00	5 70	6 10		34 77		
			3 00	7 60	2 80		63 84		
			1 00	16 00	3 50		56 00		
			1 00	27 50	7 50		206 25		
			1 00	19 60	2 70		52 92		
			3 00	6 00	3 30		59 40		
			2 00	25 00	4 20		210 00		
			1 00	20 00	4 90		98 00		
	MIG B -02(1,2 AND 3)Opposite blocks								
			1 20	25 00	6 00		150 00		
			1 00	22 00	4 00		88 00		
			1 00	15 00	5 00		75 00		
			1 00	30 00	6 50		195 00		

Scanned by TapScanner

Scanned by TapScanner

Sl. No.	Description of work	Unit	No.	L m	B m	D m	Quantity	Rate in Rs.	Amount in Rs.
	NEW SSM Culvert								
	2ND MAIN ROAD 5TH PHASE RHS		2.00	6.00	1.80	0.90	18.20		
			1.00	6.00	1.80	0.90	9.72		
	2ND MAIN ROAD 5TH PHASE LHS		2.00	6.00	1.80	0.90	18.20		
	SHIVAKUMAR SWAMY SABHAGANA SIDE MAIN ROAD LHS		2.00	4.00	1.80	0.90	12.96		
			2.00	5.00	1.80	0.90	16.20		
			1.00	7.00	1.80	0.90	11.34		
			1.00	9.50	1.80	0.90	15.39		
	SHIVAKUMAR SWAMY SABHAGANA SIDE MAIN ROAD RHS								
			3.00	3.90	1.80	0.90	17.01		

Scanned by TapScanner

	NEW WORK								
			1.00	133.00	0.20	0.15	3.99		
			1.00	100.00	0.20	0.15	6.60		
			1.00	100.00	0.20	0.15	6.60		
			1.00	100.00	0.20	0.15	3.00		
			1.00	86.00	0.20	0.15	2.58		
	Cross road New RCC Drain		1.00	100.00	0.20	0.15	3.00		
	Cross road New R.C.C Culvert		1.00	100.00	1.20	1.00	120.00		
	Cross roads								
			1.00	10.00	1.40	1.30	18.20		
			1.00	8.00	1.70	1.50	20.40		
			1.00	8.00	1.40	1.30	14.56		
					Total Quantity		970.47	226.92	1,51,541.25
E3	Providing and laying plain/reinforced cement concrete for side drains using M20 nominal mix concrete with OPC at 300 kgs with 20mm and down size granite metal coarse aggregates at 0.69 cum and fine aggregates at 0.43 cum machine mixed, well compacted for walls and bottom including centering, shuttering, cost of materials, HOM of machinery, curing etc., complete excluding cost of steel as per MORTH specification No. 1500, 1700, 2200 including cost of materials, labour, HOM complete as per specifications. Page No 270. Item No 37.59.1								
	RCC Drain RAFT	Cum							
	Cross road		1.00	100.00	0.90	0.15	13.50		
	culvert RAFT						13.50		
	Cross roads								
			1.00	10.00	1.20	0.25	3.00		
			1.00	8.00	1.50	0.25	3.00		
			1.00	8.00	1.20	0.25	2.40		
	Drain WALL						8.40		
	Cross road		2.00	100.00	0.15	0.60	18.00		
	culvert WALL						18.00		

Scanned by TapScanner

Sl. No.	Description of work	Unit	No.	L	B	D	Quantity	Rate in Rs.	Amount in Rs.
				m	m	m			
	Cross roads		2.00	10.00	0.20	0.60	2.40		
			2.00	8.00	0.25	0.90	3.60		
			2.00	8.00	0.20	0.60	1.92		
							7.92		
						Total Quantity	47.82	7636.68	365185.97
E4	KSRRB M 2200-6 Providing T M T steel reinforcement for R.C.C work including straightening, cutting, bending, hooking, placing in position, lapping and or welding wherever required, tying with binding wire and anchoring to the adjoining members wherever necessary complete as per design (laps, hooks and wastage shall not be measured and paid) cost of materials, labour, HOM of machinery complete as per specifications. Specification No: MORTH Specification No 1600 & 2200 TMT Bars Fe 500 Page No 229 Item No 28.8.2 SR 2018-19								
	Consider steel for drain 60kg/cum	Tn			31.50	0.06	1.89		
	Consider steel for culvert 90kg/cum	Tn			16.32	0.09	1.47		
						Total Quantity	3.3588	75936.1	255054.16
E5	Providing granite slabs of selected quality roughly dressed having a size of 7.5 cms thick and fixed in cement mortar (1:6) including fixing curing etc., complete with all lead and lift and as per the direction of Engineer in-charge.								
	Take 40% Missing stone in ITEM No E1	sqm		Total Quantity			465.84	779.03	362901.38
E6	KSRB 5.2-3 Providing and constructing granite / trap / basilt size stone masonary in foundation with cement mortar , stone hammered dressed in course not less than 20 cms high, bond stones at 2m. Apart in each course including cost materials , labours , curing complete as per specifications. KBS-5.1.13 , cement mortar 1:6 KBS-5.1.13 (P.No-25, I.No-5.6)								
	SSM Culvert	Cum							
	2ND MAIN ROAD 5TH PHASE RHS		4.00	5.00	0.45	0.80	7.20		
			2.00	6.00	0.45	0.80	4.32		
	2ND MAIN ROAD 5TH PHASE LHS		4.00	5.00	0.45	0.80	7.20		
	SHIVAKUMAR SWAMY SABHAGANA SIDE MAIN ROAD LHS		4.00	4.00	0.45	0.80	5.76		
			4.00	5.00	0.45	0.80	7.20		
			2.00	7.00	0.45	0.80	5.04		
			2.00	9.50	0.45	0.80	6.84		
	SHIVAKUMAR SWAMY SABHAGANA SIDE MAIN ROAD RHS								
			6.00	3.50	0.45	0.80	7.56		
			4.00	6.00	0.45	0.80	8.64		
			2.00	7.00	0.45	0.80	5.04		
			2.00	8.00	0.45	0.80	5.76		
	SSM Foundation								
			1.00	104.00	0.45	0.80	37.44		
					Total Quantity		108	5114.86	552404.97

Scanned by TapScanner